

# J2ME CLDC Reference Implementation

---

*Release Notes / CLDC 1.0.2 FCS*

*Revised Release June 20, 2001*



Sun Microsystems, Inc.  
901 San Antonio Road  
Palo Alto, CA 94303 USA  
650 960-1300 fax 650 969-9131

CLDC 1.0.2 FCS  
February 26, 2001

Copyright © 1998-2001 Sun Microsystems, Inc.

901 San Antonio Road, Palo Alto, CA 94303 USA

All rights reserved. Copyright in this document is owned by Sun Microsystems, Inc.

Sun Microsystems, Inc. (SUN) hereby grants to you at no charge a nonexclusive, nontransferable, worldwide, limited license (without the right to sublicense) under SUN's intellectual property rights that are essential to practice the K Virtual Machine (KVM) or J2ME CLDC Reference Implementation technology to use this document for internal evaluation purposes only. Other than this limited license, you acquire no right, title, or interest in or to the document and you shall have no right to use the document for productive or commercial use.

#### RESTRICTED RIGHTS LEGEND

Use, duplication, or disclosure by the U.S. Government is subject to restrictions of FAR 52.227-14(g)(2)(6/87) and FAR 52.227-19(6/87), or DFAR 252.227-7015(b)(6/95) and DFAR 227.7202-1(a).

SUN MAKES NO REPRESENTATIONS OR WARRANTIES ABOUT THE SUITABILITY OF THE SOFTWARE, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. SUN SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES.

#### TRADEMARKS

Sun, Sun Microsystems, the Sun logo, Java, the Java Coffee Cup logo, JDK, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. UNIX® is a registered trademark in the United States and other countries, exclusively licensed through X/Open Company, Ltd.

THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS PUBLICATION COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THE PUBLICATION. SUN MICROSYSTEMS, INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS PUBLICATION AT ANY TIME.

# Contents

---

<b>1. Introduction</b>	<b>1</b>
Supported Platforms	2
Items Included in This Release	2
Differences Between CLDC 1.0 FCS and CLDC 1.0.2 FCS Releases	3
Prerequisites and Dependencies	4
<b>2. Installation Notes</b>	<b>5</b>
General Comments	5
Unzipping the Distribution	5
Building the Source Release	6
Building the Release on Linux	7
Building the Release on Solaris	7
Building the Release on Windows NT	7
<b>3. Quality Assurance</b>	<b>9</b>
Testing	9
Known Bugs	9



# Introduction

---

These release notes provide information about Sun's reference implementation of the Connected, Limited Device Configuration (CLDC) for Java™ 2 Platform, Micro Edition (J2ME™).

CLDC is the result of a Java Community Process effort (JSR-30) whose goal was to define a standard, portable Java™ platform for small, resource-constrained, connected devices. The CLDC specification effort was completed in collaboration with 18 companies representing different industries. Target devices for CLDC are characterized generally as follows:

- 160 to 512 kilobytes of total memory, including both RAM and flash or ROM, available for the Java platform.
- Limited power, often battery powered operation.
- Connectivity to some kind of network, often with a wireless, intermittent connection and with limited (often 9600 bps or less) bandwidth.
- User interfaces with varying degrees of sophistication down to and including none.

Cell phones, two-way pagers, personal digital assistants (PDAs), organizers, home appliances, and point of sale terminals are some, but not all, of the devices that might be supported by CLDC.

The CLDC reference implementation runs on Sun's K Virtual Machine (KVM) implementation that is provided as part of this release.

The *CLDC Specification* document is available for public downloading at <http://java.sun.com/aboutJava/communityprocess/final/jsr030/index.html>.

Note that CLDC is intended to serve as the “lowest common denominator” building block for various kinds of resource-constrained, Java Powered™ devices. As such, CLDC is not a complete, self-sufficient solution; it needs to be complemented by *profiles*. For instance, all user interface aspects are outside the scope of CLDC Specification. A parallel Java Community Process effort (JSR-37) called *Mobile Information Device Profile* (MIDP) has defined the necessary remaining Java platform

features and libraries for two-way communication devices such as cell phones, while another effort (JSR-75) is currently focusing on PDA-type devices. Other profiles for other vertical markets or device categories might be defined later.

---

## Supported Platforms

The *J2ME CLDC Reference Implementation* runs on Solaris and Win32 platforms. A CLDC-compliant port for Linux is also provided as part of this package.

---

## Items Included in This Release

This release includes the source code and binaries for:

- K Virtual Machine (KVM)
- Preverifier tool (for preverifying Java class files)
- JavaCodeCompact tool (for prelinking/preloading system classes into KVM)
- Debug agent (for plugging the KVM into a third party debugging environment)
- JAM (Java Application Manager) reference implementation
- CLDC Java libraries (API)
- Additional Java libraries (network protocol implementations located in package `com.sun.cldc`)

Please refer to *KVM Porting Guide*, Sun Microsystems, Inc. (provided in this package) for more information on the preverifier tool, JavaCodeCompact tool and the JAM.

---

**Note** – Unlike in CLDC 1.0, the *J2ME CLDC Reference Implementation* package version CLDC 1.0.2 FCS does not contain any GUI (graphical user interface) functionality.

---

---

**Note** – The CLDC 1.0.2 FCS release no longer includes the old `com.sun.kjava` (Spotlet) GUI APIs or the Palm port of the KVM. A Palm implementation of the K Virtual Machine is available separately from the MIDP product web site (<http://java.sun.com/products/midp/>)

---

---

**Note** – This Revised Release of June 20, 2001 is the same as the original CLDC 1.0.2 FCS release except for the removal of the old `com.sun.kjava` (Spotlet) GUI APIs and the Palm port of the KVM.

---

---

**Note** – The network protocol implementation classes provided in package `com.sun.cldc` are not officially part of the CLDC reference implementation or *CLDC Specification*. These classes have been provided to facilitate porting and testing efforts, and might change or be removed in future releases of this software.

---

Additionally, the release includes the following documentation:

- *J2ME CLDC Reference Implementation Release Notes* (this document)
- CLDC API document (javadoc), version 1.0 (regenerated from latest libraries)
- *KVM Porting Guide*, Sun Microsystems, Inc., version 1.0.2 FCS
- *KDWP (KVM Debug Wire Protocol) Specification*, Sun Microsystems, Inc., version 1.0

---

## 1.1 Differences Between CLDC 1.0 FCS and CLDC 1.0.2 FCS Releases

The CLDC 1.0.2 FCS release contains an updated version of the K Virtual Machine (KVM) with a number of significant improvements.

The key features of KVM 1.0.2 compared to KVM 1.0 include:

- Exact, compacting garbage collector
- Java-level debugging support
- Performance optimizations (especially: redesigned interpreter)
- Preverifier enhancements (JAR support, debugger support, improved checks for the correct use of CLDC libraries)
- Enhanced tracing and virtual machine debugging capabilities
- Linux port

The CLDC 1.0.2 FCS release also includes the bug fixes that were included in the CLDC 1.0.1 FCS bug fix release.

---

**Note** – Apart from a number of bug fixes and comment updates, the CLDC libraries between CLDC 1.0 FCS and CLDC 1.0.2 FCS releases have not changed. At the time of this release, the current *CLDC Specification* version is still 1.0.

---

For most up-to-date information, refer to the release notes and CLDC product website (<http://java.sun.com/products/cldc>).

---

## Prerequisites and Dependencies

For more details on the Connected, Limited Device Configuration standardization effort, please refer to the *Connected, Limited Device Configuration Specification*, version 1.0, Sun Microsystems, Inc. (<http://java.sun.com/aboutJava/communityprocess/final/jsr030/index.html>).

Please refer to the *KVM Porting Guide*, Sun Microsystems, Inc. for information about porting the K Virtual Machine to new platforms.



## Installation Notes

---

---

### General Comments

The CLDC reference implementation source code release is *aimed primarily at device manufacturers* and other companies and individuals who want to port a small-footprint, general-purpose Java platform implementation onto their devices and platforms.

This release package contains the full source code of the K Virtual Machine and CLDC libraries, as well as a *KVM Porting Guide* document that is intended to help you in platform-specific porting efforts. The package does *not* contain the MIDP APIs or any other J2ME profile APIs that you may need for building a complete J2ME implementation for a particular target device.

If you are not interested in porting efforts and are looking for a more “end-user-friendly” release package for J2ME application development, we encourage you to download and use one or both of the following packages:

- J2ME Wireless Toolkit (<http://java.sun.com/products/j2mewtoolkit/>)
- MIDP for Palm OS (<http://java.sun.com/products/midp/palmOS.html>)

The installation instructions below are applicable only to those situations in which you intend to build the CLDC reference implementation from source code.

---

### Unzipping the Distribution

Unzip the distribution into any directory of your choice. It creates the directory `j2me_cldc` with the following subdirectories:

- api
- bin
- build
- docs
- jam
- kvm
- samples
- tools

Please refer to the *KVM Porting Guide*, Sun Microsystems, Inc. for further information on the contents of these directories.

---

## Building the Source Release

The K Virtual Machine and the associated preverification tool have been written in the C programming language. This software has been compiled successfully with the following compilers:

- Sun C Compiler 5.0 and 5.2 on Solaris,
- GNU C 2.95.2 compiler on Solaris and Windows NT 4.0,
- GNU C 2.91.66 (egcs-1.1.2) compiler on Red Hat Linux
- Microsoft Visual C++ 6.0 Professional on Windows NT 4.0,
- Metrowerks CodeWarrior Release 6 for Palm.

In order to compile the Java library files, sample applications, and additional tools provided in the source release, Java Development Kit (JDK) 1.2.2 or later is required.

You should be able to build all the binaries included in this release from the source code files shipped with the release. The necessary GNU tools for building the binaries are not provided with this release, but can be downloaded from

<http://www.gnu.org/software/software.html>

or

<http://sourceware.cygnum.com/cygwin/>.

---

**Note** – Windows NT 4.0 SP 5 was used to build the Windows binary of KVM for this release.

---

## Building the Release on Linux

Enter the `build/linux` subdirectory and type `gnumake`.

## Building the Release on Solaris

Enter the `build/solaris` subdirectory and type `gnumake`.

## Building the Release on Windows NT

Enter the `build/win32` subdirectory and type `gnumake`.



## Quality Assurance

---

---

### Testing

The QA tests and CLDC TCK compatibility tests have been run on a regular basis on emulators and on the following platforms:

- Solaris
- Red Hat Linux 6.2
- Microsoft Windows 98
- Microsoft Windows NT 4.0
- Palm IIIx, V, Vx, VII, VIIx (Palm implementation of the KVM)

The *J2ME CLDC Reference Implementation* passes all the test cases included in CLDC TCK. The TCK compatibility toolkit performs comprehensive regression testing of various Java language, virtual machine and library features supported by CLDC. The total number of test cases in CLDC TCK is approximately 4,500.

Components that are outside the scope of CLDC (such as package `com.sun.cldc.io`) have not undergone similar regression tests. Various sample applications have been used for testing those components.

---

### Known Bugs

A number of bugs have been dispatched for re-engineering but remain open at the time of this release. For a definitive reference on open bugs and feature requests, log in to the Java Developer Connection (JDC) web site:

<http://developer.java.sun.com/developer/>

A detailed list of bugs and feature requests related to the K Virtual Machine and CLDC can be found in:

<http://developer.java.sun.com/developer/bugParade/index.jshtml>,  
under the bug category “K Virtual Machine”.